


# ClearCreek Siding Part Catalog


[Www.ClearCreekSiding.com](http://Www.ClearCreekSiding.com)  
417-862-9511

# Part Overview


Log  
with  
Chinking




Log  
No  
Chinking



Timber  
with  
Chinking



Timber  
No  
Chinking




Siding is produced in 12' lengths and each end has a concrete factory edge. For runs longer than 12', siding can be cut down at the jobsite to the length needed.


# Trim Options

## Window/Door Trim

Small Window Sill/Head Trim



Large Window Sill/Head Trim



This Trim is used as Window Head/Sill trim and Door Head trim.


They are made custom length in the factory and finished on each end.

Typically the Small trim is used with the Log Style and the Large trim is used with the Timber style. However, they are interchangeable.


**Optional:** Parts may be provided in 12' pieces, cut in the field and the ends finished.

## Termination Trims

Standard Termination Trim



Large Termination Trim




This Trim is used as vertical casings for Windows and Doors and as a transition trim in cases where siding is terminating into something other than a corner or casing.

**Optional:** Small Termination trim can also be used at soffits.

This part is produced in 12' lengths and will be cut at the jobsite to the length needed.

# Corner Trims

## Round Outside Corner




This part is used at 90 degree outside corners.

Included is a "Wood Corner Base."

It is produced in 12' lengths and will be cut at the jobsite to the length needed.

The bottom end of the part is finished.

## Square Outside Corner



This part is used at 90 degree outside corners.


It is produced in 12' lengths and will be cut at the jobsite to the length needed.

The bottom end of the part is finished.

## Inside Corner

Custom corners for angles other than 90 degrees are available.

Please contact your ClearCreek Representative for pricing.




This part is used at 90 degree inside corners.

It is produced in 12' lengths and will be cut at the jobsite to the length needed.

The bottom end of the part is finished.

# Custom Trim

ClearCreek can also provide custom trim such as arches, trim for between windows too narrow for standard trim, etc.




# Sills and Headers

ClearCreek can provide Sill and Head trim cut to length with ends finished. Exact window and door outside frame dimensions will need to be provided.

ClearCreek can also provide 12' Sill and Head trim pieces to be cut in the field.

Ask your ClearCreek representative for the link to watch our end finishing video.

## Reveal Options



### Measuring for Head and Sill Trim when using 12' stock pieces:

Measure Window width, add Side Termination Trim width, inner caulk joint width (if required) and Reveal if required.

#### Side Trim

Large Termination Trim will add 5-1/4" to each side of window.

-No Reveal -Add 10-1/2"

-3/4" Reveal -Add 12"


Standard Termination Trim will add 2-7/8" to each side of window.

-No Reveal -Add 5-3/4"


-1/2" Reveal -Add 6-3/4"

# Accessories

Electrical Outlet  
Block, Single




Low Profile  
Faucet Mounting Block




Electrical  
Outlet and Low  
Profile Faucet  
are 3" thick on  
the side and  
5/8" thick in  
the middle as  
these are inset,  
see install  
instructions.


Light Block



Faucet Mounting  
Block



Dryer Vent  
Block



Light, Faucet, and Dryer Vent are  
all 3.25" thick with a 1/4" x 3/8"  
deep flange.

Custom Accessory Blocks are also available.

# Fasteners

2 1/2" #8 Bugle Head  
Coated Exterior Screw



5" #10 Star Drive  
Coated Exterior Screw



3/4" Plastic Washer




Metal Starter Clip





# Coatings

## Concrete Fill Mix



## Finish Kit Parts: Sealer, Fill Mix and Q-tips



## 1199 Glazing Sealant



## FoamCoat 550

