


# ClearCreek Siding Part Catalog


Www.ClearCreekSiding.com 417-862-9511

## **Part Overview**









Siding is produced in 12' lengths and each end has a concrete factory edge. For runs longer than 12', siding can be cut down at the <u>jobsite</u> to the length needed.

All dimensions are approximate and may vary.


Version 9.0 - Page 2

## Sills and Headers

Small Window Sill/Head Trim


## 3.75"

Large Window Sill/Head Trim



Used as Window Head/Sill trim and Door Head trim.

### **Reveal Options**




All dimensions are approximate and may vary.


Version 9.0 - Page 3

## **Trim Options**


**Standard Casing Trim** 




**Large Casing Trim** 



**Standard Termination Trim** 



**Large Termination Trim** 




Parts are 12' lengths and will be cut at the jobsite to the length needed.

All dimensions are approximate and may vary.

## **Corner Trims**

#### Round Outside Corner




This part is used at 90 degree outside corners.

Included is a "Wood Corner Base."

It is produced in 12' lengths and will be cut at the jobsite to the length needed.

The bottom end of the part is finished.

#### Square Outside Corner



This part is used at 90 degree outside corners.


It is produced in 12' lengths and will be cut at the jobsite to the length needed.

The bottom end of the part is finished.

#### **Inside Corner**

Custom corners for angles other than 90 degrees are available.

Please contact your ClearCreek Representative for pricing.



This part is used at 90 degree inside corners.


It is produced in 12' lengths and will be cut at the jobsite to the length needed.

The bottom end of the part is finished.

All dimensions are approximate and may vary.


## **Custom Trim**

ClearCreek can also provide custom trim such as arches, trim for between windows too narrow for standard trim, etc.




## Accessories


Electrical Outlet Block, Single



Low Profile Faucet Mounting Block



Electrical
Outlet and Low
Profile Faucet
are 3" thick on
the side and
5/8" thick in
the middle as
these are inset,
see install
instructions.



Light, Faucet, and Dryer Vent are all 3.25" thick with a 1/4" x 3/8" deep flange.

Custom Accessory Blocks are also available.

All dimensions are approximate and may vary.

Version 9.0 - Page 7

## Misc. Materials

3/4" Plastic Washer







1199 Clear Glazing Sealant



1199 Color Match Glazing Sealant

