


ClearCreek Siding

Part Catalog


www.ClearCreekSiding.com
417-862-9511

Siding Types

Log with Chinking




Log No Chinking




Timber with Chinking

Options:
Classic
Stamp
or
Hand Hewn
Stamp



Timber No Chinking


Options:
Classic
Stamp
or
Hand Hewn
Stamp




Siding is produced in 12' lengths and each end has a concrete factory edge. For runs longer than 12', siding can be cut down at the jobsite to the length needed.

Sills and Headers

Small Window Sill/Head Trim



Large Window Sill/Head Trim




Used as Window Head/Sill trim and Door Head trim.

See Video on how to
finish ends of Sills and
Headers in the field.




Reveal Options




Trim


Standard Casing Trim
No Flange




Large Casing Trim
No Flange



Standard Casing Trim
With Flange




Large Casing Trim
With Flange



Parts are 12' lengths and will be cut at the jobsite to the length needed.

Corner Trims

Round Outside Corner




This part is used at 90 degree outside corners.

Included is a "Wood Corner Base."

It is produced in 12' lengths and will be cut at the jobsite to the length needed.

The bottom end of the part is finished.

Square Outside Corner




This part is used at 90 degree outside corners.

It is produced in 12' lengths and will be cut at the jobsite to the length needed.

The bottom end of the part is finished.


135 Outside Corner



Custom corners for angles other than 90 degrees are available.

Please contact your ClearCreek Representative for pricing.

Inside Corner




This part is used at 90 degree inside corners.

It is produced in 12' lengths and will be cut at the jobsite to the length needed.

The bottom end of the part is finished.


Custom Trim

ClearCreek can also provide custom trim such as arches, trim for between windows too narrow for standard trim, etc.




Accessories

Electrical Outlet Block, Single




Low Profile Faucet Mounting Block




Electrical Outlet and Low Profile Faucet are 3" thick on the side and 5/8" thick in the middle as these are inset, see install instructions.


Light Block



Faucet Mounting Block



Dryer Vent Block



Light, Faucet, and Dryer Vent are all 3.25" thick with a 1/4" x 3/8" deep flange.

Custom Accessory Blocks are also available.

Misc. Materials

3/4" Plastic Washer



Metal Starter Clip



1199 Clear
Glazing Sealant



1199 Color Match
Glazing Sealant

